

INTERNATIONAL STANDARD



**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 2-11: Tests – Axial compression**

IECNORM.COM : Click to view the full PDF of IEC 61300-2-11:2023 RLV



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IECNORM.COM : Click to view the full PDF of IEC 61002-1:2023 RLV



IEC 61300-2-11

Edition 3.0 2023-11
REDLINE VERSION

INTERNATIONAL STANDARD



**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 2-11: Tests – Axial compression**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.20

ISBN 978-2-8322-7937-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms, definitions, and abbreviated terms	5
3.1 Terms and definitions.....	5
3.2 Abbreviated terms.....	5
4 General description	5
5 Apparatus.....	5
5.1 General.....	5
5.2 Moveable clamping device	6
5.3 Fixed clamping device	6
5.4 Force generator	6
5.5 Force gauge	6
6 Procedure.....	6
6.1 Preparation of specimens DUT	6
6.2 Preconditioning	6
6.3 Mounting of the DUT	6
6.4 Initial examination.....	7
6.5 Application of load	7
6.6 Recovery	7
6.7 Post-test Final examination.....	7
7 Severity	7
8 Details to be specified and reported.....	8
Bibliography.....	10
Figure 1 – Example of test apparatus set-up.....	7
Table 1 – Recommended severity levels	8
Table 2 – Recommended severity levels for closures	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
DEVICES AND PASSIVE COMPONENTS –
BASIC TEST AND MEASUREMENT PROCEDURES –****Part 2-11: Tests – Axial compression****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 61300-2-11:2012. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 61300-2-11 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added Terms and definitions clause;
- b) removed severity table for closures;
- c) added recommended severity for tubes and cables without strength member attachment.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86B/4807/FDIS	86B/4824/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61300 series, published under the general title *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2-11: Tests – Axial compression

1 Scope

The purpose of this part of IEC 61300 is to ensure that the captivation or the attachment of the cable to the fibre optic devices or components, for example fibre optic closures, will withstand compressive axial loads likely to be applied during normal service.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination*

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.2 Abbreviated terms

DUT device under test

4 General description

The ~~specimen~~ DUT is rigidly clamped and an axial compressive load is applied to the cable.

5 Apparatus

5.1 General

The test apparatus shall be capable of applying an axial compression load between a clamped ~~specimen~~ device or component and a fixed cable. The apparatus consists of the elements described in 5.2 to 5.5.

5.2 Moveable clamping device

A ~~suitable~~ clamping device which grips a length of fibre optic cable over a distance equivalent to at least three times the cable diameter (see Figure 1, dimension A), and which is capable of providing an axial load without slipping, causing damage to the cable or increasing attenuation.

5.3 Fixed clamping device

A fixed clamping device capable of gripping the ~~specimen~~ device or component without altering any of its mechanical properties.

5.4 Force generator

A force generator may be any device or apparatus capable of smoothly applying the specified force at the specified rate.

5.5 Force gauge

A ~~suitable~~ An instrument for measuring the applied force being exerted between the ~~specimen~~ device or component and the fibre optic cable.

6 Procedure

6.1 Preparation of ~~specimens~~ DUT


The ~~specimen~~ DUT shall consist of a fully assembled optical device or component, ~~prepared in accordance with the relevant specification~~ where one or more cables are fixed and prepared in accordance with the manufacturer's instructions. ~~Unless otherwise specified,~~ The ~~specimen~~ DUT shall be subjected to the following test procedure in non-operational mode.

6.2 Preconditioning

~~Unless otherwise specified,~~ Precondition each prepared ~~specimen~~ DUT for at least 2 h at the standard ~~test~~ atmospheric conditions specified in IEC 61300-1.

6.3 Mounting of the DUT

Securely fix the device ~~under test~~ or component to the fixed clamping device. See Figure 1 for an example of the test set-up. Clamp the cable at the point of application using a ~~movable~~ clamping device such that the distance, L , between the rear of the strain relief and the front of the ~~cable~~ ~~moveable~~ clamping device is ~~twice the cable diameter~~. ~~The length, L , shall be~~ at maximum twice the cable diameter to prevent cable buckling.



Key

- 1 fixed clamping device
- 2 device-under-test or component
- 3 strain relief
- 4 fibre optic cable
- 5 movable clamping device
- A* cable clamp length (at least three times the cable diameter)
- L* length between rear of strain relief and cable clamp (maximum two times the cable diameter)

Figure 1 – Example of test apparatus set-up

6.4 Initial examination

The DUT shall be visually inspected according to IEC 61300-3-1.

6.5 Application of load

Smoothly apply the axial compressive load to the cable, as recommended in Table 1. ~~Unless otherwise specified,~~ Maintain the load for a minimum of 2 min. The position of the point of application shall be such that the load is axially transmitted.

6.6 Recovery

Allow DUT to recover for at least 4 h at standard atmospheric conditions specified in IEC 61300-1.

6.7 ~~Post-test~~ Final examination

Remove the axial compressive load from the ~~specimen~~ DUT and the ~~specimen~~ DUT from the test mounting. ~~Unless otherwise specified,~~ Visually examine the ~~specimen~~ DUT and its component parts in accordance with IEC 61300-3-1. Check for evidence of cracking, loose parts, chipped parts, scratches, permanent deformation, displacement, excessive movements or other damage to cable jacket, seals, strain relief or fibres which might impair its function, and against any other pass/fail criteria specified in the relevant IEC 61753 performance standard or IEC 62005 reliability specification. Careful attention shall be given to degradation of the optical signal, fibre breakage and excessive movement of the cable relative to the ~~specimen~~ DUT.

7 Severity

~~The severity consists of the magnitude of the axial compressive force. The severity shall be specified in the relevant specification. Recommended values of the test parameters are given in Table 1 and Table 2.~~

Table 1 shows the specified test severities in relation to the performance categories. It is recommended to verify the test severities with the relevant IEC 61753 performance standards and IEC 62005 reliability specifications for the normative values.

Table 1 – Recommended severity levels

Cable diameter mm	Load N
<3	10
3 to 6	20
6 to 10	50
10 to 20	100
>20	200

Category	Cable diameter mm	Load N
C, A, G, S	< 3	10
	≥ 3 to < 6	20
	≥ 6 to < 10	50
	≥ 10 to < 20	100
	≥ 20	200
	For tubes and cables without strength member attachment	10

Table 2 – Recommended severity levels for closures

Target	Load N	Duration min
Central strength member	450	30

8 Details to be specified and reported

The following details, as applicable, shall be specified in the relevant specification and shall be reported in the test report:

- magnitude of the load;
- duration of the axial compression load if other than 2 min;
- cable type, diameter;
- ~~— Length L~~
- ~~— Rate of load application~~
- ~~— Specimen mated or unmated~~
- ~~— Specimen optically functioning or non-functioning~~
- type of load application;
- description of DUT;
- pre-conditioning procedure;
- ~~— Post-conditioning procedure~~
- initial examinations and measurements and performance requirements;
- examinations and measurements during test and performance requirements, if required;
- final examinations and measurements and performance requirements;
- optical measurement method, if necessary;
- deviations from test procedure;

- additional pass/fail criteria.

IECNORM.COM : Click to view the full PDF of IEC 61300-2-11:2023 RLV

Bibliography

IEC 61753 (all parts), *Fibre optic interconnecting devices and passive components – Performance standard*

IEC 62005 (all parts), *Reliability of fibre optic interconnecting devices and passive components*

IECNORM.COM : Click to view the full PDF of IEC 61300-2-11:2023 RLV

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fibre optic interconnecting devices and passive components – Basic test and measurement procedures –
Part 2-11: Tests – Axial compression**

**Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures –
Partie 2-11: Essais – Compression axiale**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms, definitions, and abbreviated terms	5
3.1 Terms and definitions.....	5
3.2 Abbreviated terms.....	5
4 General description	5
5 Apparatus.....	5
5.1 General.....	5
5.2 Moveable clamping device	6
5.3 Fixed clamping device	6
5.4 Force generator	6
5.5 Force gauge	6
6 Procedure.....	6
6.1 Preparation of DUT	6
6.2 Preconditioning	6
6.3 Mounting of the DUT	6
6.4 Initial examination.....	7
6.5 Application of load	7
6.6 Recovery	7
6.7 Final examination.....	7
7 Severity	7
8 Details to be specified and reported.....	8
Bibliography.....	9
Figure 1 – Example of test set-up	7
Table 1 – Recommended severity levels	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
DEVICES AND PASSIVE COMPONENTS –
BASIC TEST AND MEASUREMENT PROCEDURES –****Part 2-11: Tests – Axial compression****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61300-2-11 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added Terms and definitions clause;
- b) removed severity table for closures;

c) added recommended severity for tubes and cables without strength member attachment.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86B/4807/FDIS	86B/4824/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61300 series, published under the general title *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – BASIC TEST AND MEASUREMENT PROCEDURES –

Part 2-11: Tests – Axial compression

1 Scope

The purpose of this part of IEC 61300 is to ensure that the captivation or the attachment of the cable to the fibre optic devices or components, for example fibre optic closures, will withstand compressive axial loads likely to be applied during normal service.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61300-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 1: General and guidance*

IEC 61300-3-1, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-1: Examinations and measurements – Visual examination*

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.2 Abbreviated terms

DUT device under test

4 General description

The DUT is rigidly clamped and an axial compressive load is applied to the cable.

5 Apparatus

5.1 General

The test apparatus shall be capable of applying an axial compression load between a clamped device or component and a fixed cable. The apparatus consists of the elements described in 5.2 to 5.5.

5.2 Moveable clamping device

A clamping device which grips a length of fibre optic cable over a distance equivalent to at least three times the cable diameter (see Figure 1, dimension A), and which is capable of providing an axial load without slipping, causing damage to the cable or increasing attenuation.

5.3 Fixed clamping device

A fixed clamping device capable of gripping the device or component without altering any of its mechanical properties.

5.4 Force generator

A force generator may be any device or apparatus capable of smoothly applying the specified force at the specified rate.

5.5 Force gauge

An instrument for measuring the applied force being exerted between the device or component and the fibre optic cable.

6 Procedure

6.1 Preparation of DUT


The DUT shall consist of a fully assembled optical device or component where one or more cables are fixed and prepared in accordance with the manufacturer's instructions. The DUT shall be subjected to the following test procedure in non-operational mode.

6.2 Preconditioning

Precondition each prepared DUT for at least 2 h at the standard atmospheric conditions specified in IEC 61300-1.

6.3 Mounting of the DUT

Securely fix the device or component to the fixed clamping device. See Figure 1 for an example of the test set-up. Clamp the cable at the point of application using a moveable clamping device such that the distance, L , between the rear of the strain relief and the front of the moveable clamping device is at maximum twice the cable diameter to prevent cable buckling.



Key

- 1 fixed clamping device
- 2 device or component
- 3 strain relief
- 4 fibre optic cable
- 5 movable clamping device
- A cable clamp length (at least three times the cable diameter)
- L length between rear of strain relief and cable clamp (maximum two times the cable diameter)

Figure 1 – Example of test set-up

6.4 Initial examination

The DUT shall be visually inspected according to IEC 61300-3-1.

6.5 Application of load

Smoothly apply the axial compressive load to the cable, as recommended in Table 1. Maintain the load for a minimum of 2 min. The position of the point of application shall be such that the load is axially transmitted.

6.6 Recovery

Allow DUT to recover for at least 4 h at standard atmospheric conditions specified in IEC 61300-1.

6.7 Final examination

Remove the axial compressive load from the DUT and the DUT from the test mounting. Visually examine the DUT and its component parts in accordance with IEC 61300-3-1. Check for evidence of cracking, loose parts, chipped parts, scratches, permanent deformation, displacement, excessive movements or other damage to cable jacket, seals, strain relief or fibres which might impair its function, and against any other pass/fail criteria specified in the relevant IEC 61753 performance standard or IEC 62005 reliability specification. Careful attention shall be given to degradation of the optical signal, fibre breakage and excessive movement of the cable relative to the DUT.

7 Severity

Table 1 shows the specified test severities in relation to the performance categories. It is recommended to verify the test severities with the relevant IEC 61753 performance standards and IEC 62005 reliability specifications for the normative values.

Table 1 – Recommended severity levels

Category	Cable diameter mm	Load N
C, A, G, S	< 3	10
	≥ 3 to < 6	20
	≥ 6 to < 10	50
	≥ 10 to < 20	100
	≥ 20	200
	For tubes and cables without strength member attachment	10

8 Details to be specified and reported

The following details, as applicable, shall be specified in the relevant specification and shall be reported in the test report:

- magnitude of the load;
- duration of the axial compression load if other than 2 min;
- cable type, diameter;
- type of load application;
- description of DUT;
- pre-conditioning procedure;
- initial examinations and measurements and performance requirements;
- examinations and measurements during test and performance requirements, if required;
- final examinations and measurements and performance requirements;
- optical measurement method, if necessary;
- deviations from test procedure;
- additional pass/fail criteria.

Bibliography

IEC 61753 (all parts), *Fibre optic interconnecting devices and passive components – Performance standard*

IEC 62005 (all parts), *Reliability of fibre optic interconnecting devices and passive components*

IECNORM.COM : Click to view the full PDF of IEC 61300-2-11:2023 RLV

SOMMAIRE

AVANT-PROPOS	11
1 Domaine d'application	13
2 Références normatives	13
3 Termes, définitions, et abréviations	13
3.1 Termes et définitions	13
3.2 Abréviations	13
4 Description générale	13
5 Matériel	14
5.1 Généralités	14
5.2 Dispositif de maintien mobile	14
5.3 Dispositif de maintien fixe	14
5.4 Générateur d'effort	14
5.5 Dynamomètre de traction	14
6 Procédure	14
6.1 Préparation du DUT	14
6.2 Préconditionnement	14
6.3 Montage du DUT	14
6.4 Examen initial	15
6.5 Application de la charge	15
6.6 Rétablissement	15
6.7 Examen final	15
7 Sévérité	15
8 Informations détaillées à spécifier et à consigner	16
Bibliographie	17
Figure 1 – Exemple de montage d'essai	15
Tableau 1 – Niveaux de sévérité recommandés	16

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**DISPOSITIFS D'INTERCONNEXION ET COMPOSANTS PASSIFS
FIBRONIQUES –
PROCÉDURES FONDAMENTALES D'ESSAIS ET DE MESURES –****Partie 2-11: Essais – Compression axiale****AVANT-PROPOS**

- 1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'IEC attire l'attention sur le fait que la mise en application du présent document peut entraîner l'utilisation d'un ou de plusieurs brevets. L'IEC ne prend pas position quant à la preuve, à la validité et à l'applicabilité de tout droit de brevet revendiqué à cet égard. À la date de publication du présent document, l'IEC n'a pas reçu notification qu'un ou plusieurs brevets pouvaient être nécessaires à sa mise en application. Toutefois, il y a lieu d'avertir les responsables de la mise en application du présent document que des informations plus récentes sont susceptibles de figurer dans la base de données de brevets, disponible à l'adresse <https://patents.iec.ch>. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié tout ou partie de tels droits de propriété.

L'IEC 61300-2-11 a été établie par le sous-comité 86B: Dispositifs d'interconnexion et composants passifs à fibres optiques, du comité d'études 86 de l'IEC: Fibres optiques. Il s'agit d'une Norme internationale.

Cette troisième édition annule et remplace la deuxième édition parue en 2012. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) ajout d'un article "Termes et définitions";
- b) suppression du tableau des sévérités pour les boîtiers;
- c) ajout d'une recommandation de sévérité pour les tubes et les câbles sans fixation d'éléments de renfort.

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
86B/4807/FDIS	86B/4824/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Le présent document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous www.iec.ch/publications.

Une liste de toutes les parties de la série IEC 61300, publiées sous le titre général *Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures*, se trouve sur le site web de l'IEC.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. À cette date, le document sera

- reconduit,
- supprimé, ou
- révisé.

DISPOSITIFS D'INTERCONNEXION ET COMPOSANTS PASSIFS FIBRONIQUES – PROCÉDURES FONDAMENTALES D'ESSAIS ET DE MESURES –

Partie 2-11: Essais – Compression axiale

1 Domaine d'application

La présente partie de l'IEC 61300 vise à vérifier que la rétention ou la fixation du câble à des dispositifs ou des composants fibroniques, par exemple boîtiers fibroniques, résistera aux forces de compression axiale susceptibles d'être appliquées dans des conditions normales de fonctionnement.

2 Références normatives

Les documents suivants sont cités dans le texte de sorte qu'ils constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 61300-1, *Dispositifs d'interconnexion et composants passifs fibroniques – Procédures fondamentales d'essais et de mesures – Partie 1: Généralités et recommandations*

IEC 61300-3-1, *Dispositifs d'interconnexion et composants passifs à fibres optiques – Méthodes fondamentales d'essais et de mesures – Partie 3-1: Examens et mesures – Examen visuel*

3 Termes, définitions, et abréviations

3.1 Termes et définitions

Aucun terme n'est défini dans le présent document.

L'ISO et l'IEC tiennent à jour des bases de données terminologiques destinées à être utilisées en normalisation, consultables aux adresses suivantes:

- IEC Electropedia: disponible à l'adresse <https://www.electropedia.org/>
- ISO Online browsing platform: disponible à l'adresse <https://www.iso.org/obp>

3.2 Abréviations

DUT dispositif en essai

4 Description générale

Le DUT est maintenu de manière rigide et une force de compression axiale est appliquée au câble.