

INTERNATIONAL STANDARD

ISO
5713

First edition
1990-10-01

Equipment for working the soil — Fixing bolts for soil working elements

Matériel de travail du sol — Boulons pour la fixation des pièces d'usure



Reference number
ISO 5713:1990(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 5713 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*.

STANDARDSISO.COM : Click to view the full PDF of ISO 5713:1990

© ISO 1990

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Equipment for working the soil — Fixing bolts for soil working elements

1 Scope

This International Standard specifies dimensions and characteristics of three types of bolts for the fixing of soil working elements.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 898-1:1988, *Mechanical properties of fasteners — Part 1: Bolts, screws and studs.*

ISO 965-3:1980, *ISO general purpose metric screw threads — Tolerances — Part 3: Deviations for constructional threads.*

ISO 4759-1:1978, *Tolerances for fasteners — Part 1: Bolts, screws and nuts with thread diameters between 1,6 (inclusive) and 150 mm (inclusive) and product grades A, B and C.*

3 Dimensions

Bolt dimensions are shown in figure 1, figure 2 and figure 3, and given in table 1, table 2 and table 3.

3.1 Round head countersunk square neck bolts




Figure 1 — Round head countersunk square neck bolts

Table 1 — Dimensions of round head countersunk square neck bolts

Dimensions in millimetres

Thread size, d	M8	M10	M12	M16	M20
dk h15	14	18	21	30	36
k h14	5,5	7	8	10,5	13,5
v h14	8	10	12	16	20
b 1)	22	26	30	38	46
c 2)	1	1,2	1,2	1,4	2,5
r1 max.	0,8	0,8	1,2	1,2	1,6
r2 max.	0,8	1	1,2	1,6	2
l js17	Standard lengths are indicated by crosses				
20	x				
25	x	x			
30	x	x	x		
35	x	x	x		
40		x	x	x	
45		x	x	x	x
50		x	x	x	x
60			x	x	x
70			-	x	x
80				x	x
90				x	x
100				x	x

1) Lengths $l \leq 45$ to be threaded up to the head.
2) Approximate dimensions.

3.2 Oval head countersunk square neck bolts

Dimensions in millimetres




Figure 2 — Oval head countersunk square neck bolts

Table 2 — Dimensions of oval head countersunk square neck bolts

Dimensions in millimetres

Thread size, d	M10	M12
v h14	10	12
d_k h15	19	23
k h16	7,5	9
r_1 max.	1	1,2
r_2 max.	1	1,2
r_f ± 2	16	20
l js17	35 40 45	35 40 45

3.3 Double nibbed countersunk bolts




Figure 3 — Double nibbed countersunk bolts