NFPA 498 **Explosives Motor Vehicle Terminals** 1992 Edition



NOTICE

All questions or other communications relating to this document should be sent only to NFPA Headquarters, addressed to the attention of the Committee responsible for the document.

For information on the procedures for requesting Technical Committees to issue Formal Interpretations, proposing Tentative Interim Amendments, proposing amendments for Committee consideration, and appeals on matters relating to the content of the document, write to the Secretary, Standards Council, National Fire Protection Association, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101.

A statement, written or oral, that is not processed in accordance with Section 16 of the Regulations Governing Committee Projects shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

Users of this document should consult applicable Federal, State and local laws and regulations. NFPA does not, by the publication of this document, intend to urge action which is not in compliance with applicable laws and this document may not be construed as doing so.

Policy Adopted by NFPA Board of Directors on December 3, 1982

The Board of Directors reaffirms that the National Fire Protection Association recognizes that the toxicity of the products of combustion is an important factor in the loss of life from fire. NFPA has dealt with that subject in its technical committee documents for many years.

There is a concern that the growing use of synthetic materials may produce more or additional toxic products of combustion in a fire environment. The Board has, therefore, asked all NFPA technical committees to review the documents for which they are responsible to be sure that the documents respond to this current concern. To assist the committees in meeting this request, the Board has appointed an advisory committee to provide specific guidance to the technical committees on questions relating to assessing the hazards of the products of combustion.

Licensing Provision — This document is copyrighted by the National Fire Protection Association (NFPA).

- 1. Adoption by Reference Public authorities and others are urged to reference this document in laws, ordinances, regulations, administrative orders or similar instruments. Any deletions, additions and changes desired by the adopting authority must be noted separately. Those using this method are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. The term "adoption by reference" means the citing of title and publishing information only.
- 2. Adoption by Transcription A. Public authorities with lawmaking or rule-making powers only, upon written notice to the NFPA (Attention: Secretary, Standards Council), will be granted a royalty-free license to print and republish this document in whole or in part, with changes and additions, if any, noted separately, in laws, ordinances, regulations, administrative orders or similar instruments having the force of law, provided that: (1) due notice of NFPA's copyright is contained in each law and in each copy thereof; and, (2) that such printing and republication is limited to numbers sufficient to satisfy the jurisdiction's lawmaking or rulemaking process. B. Once this NFPA Code or Standard has been adopted into law, all printings of this document by public authorities with lawmaking or rulemaking powers or any other persons desiring to reproduce this document or its contents as adopted by the jurisdiction in whole or in part, in any form, upon written request to NFPA (Attention: Secretary, Standards Council), will be granted a nonexclusive license to print, republish, and vend this document in whole or in part, with changes and additions, if any, noted separately provided that due notice of NFPA's copyright is contained in each copy. Such license shall be granted only upon agreement to pay NFPA a royalty. This royalty is required to provide funds for the research and development necessary to continue the work of NFPA and its volunteers in continually updating and revising NFPA standards. Under certain circumstances, public authorities with lawmaking or rulemaking powers may apply for and may receive a special royalty when the public interest will be served thereby.
- 3. Scope of License Grant The terms and conditions set forth above do not extend to the index to this document.

(For further explanation, see the Policy Concerning the Adoption, Printing and Publication of NFPA Documents which is available upon request from the NFPA.)

Statement on NFPA Procedures

This material has been developed under the published procedures of the National Fire Protection Association, which are designed to assure the appointment of technically competent Committees having balanced representation. While these procedures assure the highest degree of care, neither the National Fire Protection Association, its members, nor those participating in its activities accepts any liability resulting from compliance or noncompliance with the provisions given herein, for any restrictions imposed on materials or processes, or for the completeness of the text.

NFPA has no power or authority to police or enforce compliance with the contents of this document and any certification of products stating compliance with requirements of this document is made at the peril of the certifier.

Copyright © 1992 NFPA, All Rights Reserved

NFPA 498

Standard for

Explosives Motor Vehicle Terminals

1992 Edition

This edition of NFPA 498, Standard for Explosives Motor Vehicle Terminals, was prepared by the Technical Committee on Explosives and acted on by the National Fire Protection Association, Inc. at its Annual Meeting held May 18-21, 1992, in New Orleans, LA. It was issued by the Standards Council on July 17, 1992, with an effective date of August 14, 1992, and supersedes all previous editions.

The 1992 edition of this document has been approved by the American National Standards Institute.

Origin and Development of NFPA 498

This standard was developed by the Technical Committee on Explosives to address the special requirements of motor vehicle terminals specifically designed to handle cargoes of explosive materials. It was tentatively adopted at the 1969 NFPA Annual Meeting and officially adopted at the 1970 NFPA Annual Meeting. Several amendments were adopted at the 1976 NFPA Annual Meeting and at the 1982 NFPA Annual Meeting. In both 1986 and 1990, the document was reconfirmed.

This edition of NFPA 498 is a reconfirmation of the 1990 edition.

Technical Committee on Explosives

J. Edmund Hay, Chairman U.S. Bureau of Mines, PA

W. J. Burns, Munitions Carriers Conference, MD
W. S. Chang, Bureau of Explosives Laboratory, NJ
Roy E. Clark, Sporting Arms & Ammunition Mfgs Institute, Inc., MN
John A. Conkling, Chestertown, MD
Rep. American Pyrotechnics Assn.

Daniel E. Crowley, Bureau of Alcohol, Tobacco & Firearms, DC

C. James Dahn, Safety Consulting Engineers, Inc., IL
Thomas P. Dowling, Institute of Makers of Explosives, DC
Richard L. Fischer, Mine Safety & Health Admin., CO
Anthony P. Giunta, Palm Beach Co. Sheriffs Dept., FL
Kenneth L. Kosanke, KSI, Inc., CO
John G. Robert, Industrial Risk Insurers, CT
Daniel N. Young, United Technologies/Chemical Systems, CA

Alternates

Earle B. Amey, U.S. Bureau of Mines, DC (Alternate to J. E. Hay)Linda A. Deel, Bureau of Alcohol, Tobacco & Firearms, DC (Alternate to D. E. Crowley)

Roger N. Prescott, Austin Powder Co., OH (Alternate to T. P. Dowling) Dean Rumbaugh, Weatherby, Inc., CA (Alternate to R. E. Clark)

Nonvoting

Glen E. Gardner, U.S. Occupational Safety & Health Admin, DC **Charles Schultz,** U.S. Department of Transportation, DC

Terence P. Smith, U.S. Department of Labor, DC (Alternate to G. E. Gardner)

Casey C. Grant, NFPA Staff Liaison

This list represents the membership at the time the Committee was balloted on the text of this edition. Since that time, changes in the membership may have occurred.

NOTE: Membership on a Committee shall not in and of itself constitute an endorsement of the Association or any document developed by the Committee on which the member serves.

CONTENTS **498**–3

Contents

Chapter	1 General	3- 5
1-1	Scope	3- 5
1-2	Purpose	
1-3	Definitions	
Chapter	2 Explosives Interchange Lots	3- 6
2-1	General	3- 6
2-2	Vehicle Parking	3- 6
2-3	Control of Ignition Sources	3- 7
2-4	Security against Trespassers	
2-5	Employee Training	3- 7
Chapter	3 Less-than-Truckload Explosives Lots	3- 7
3-1	General	
3-2	Operations	
Chapter	4 Referenced Publications	3- 7
Appendi	ix A	3- 8
Index	498	8 8

GENERAL 498-5

NFPA 498

Standard for

Explosives Motor Vehicle Terminals

1992 Edition

NOTICE: An asterisk (*) following the number or letter designating a paragraph indicates explanatory material on that paragraph in Appendix A.

Information on referenced publications can be found in Chapter 4.

Foreword

Explosives motor vehicle terminals provide interchange and parking facilities for vehicles transporting explosives. Some explosives motor vehicle terminals may also provide temporary storage facilities for less-than-truckload quantities of explosives. This standard is designed to prevent the occurrence of fire in or the spread of fire into such facilities, since an explosion in the terminal presents a distinct threat to the surrounding areas.

These terminals are a necessary part of the over-theroad transportation of explosives, since territorial restrictions on motor carrier operations often make it necessary for a load of explosives to be hauled by more than one carrier. These terminals not only provide the facilities noted above, but may also provide vehicle maintenance and driver rest services.

Motor vehicles using explosives motor vehicle terminals operate under the Motor Carrier Safety Regulations of the U.S. Department of Transportation. These vehicles are primarily engaged in transporting explosives and ammunition on government bills of lading, although carriers of commercial explosives may also require such facilities.

Properly operated explosives motor vehicle terminals provide a safe and controlled environment for parking vehicles carrying explosives. The overall result is improved highway safety.

Chapter 1 General

1-1 Scope.

- 1-1.1 This standard applies to the design and operating features of explosives motor vehicle terminals related to fire prevention and fire protection and to the prevention of explosions.
- **1-1.2** This standard does not apply to motor freight terminals for vehicles handling general freight. (See NFPA 513, Standard for Motor Freight Terminals.)
- **1-1.3** The requirements of NFPA 513, *Standard for Motor Freight Terminals*, apply to explosives motor vehicle terminals where they are applicable and are not covered by this standard.

1-2 Purpose. This standard is intended to provide reasonable requirements for the prevention of fires within and the spread of fire into explosives motor vehicle terminals.

1-3 Definitions. For the purpose of this standard, the following terms shall have the meanings given below:

Approved. Acceptable to the "authority having jurisdiction."

NOTE: The National Fire Protection Association does not approve, inspect or certify any installations, procedures, equipment, or materials nor does it approve or evaluate testing laboratories. In determining the acceptability of installations or procedures, equipment or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization concerned with product evaluations which is in a position to determine compliance with appropriate standards for the current production of listed items.

Authority Having Jurisdiction. The "authority having jurisdiction" is the organization, office or individual responsible for "approving" equipment, an installation or a procedure.

NOTE: The phrase "authority having jurisdiction" is used in NFPA documents in a broad manner since jurisdictions and "approval" agencies vary as do their responsibilities. Where public safety is primary, the "authority having jurisdiction" may be a federal, state, local or other regional department or individual such as a fire chief, fire marshal, chief of a fire prevention bureau, labor department, health department, building official, electrical inspector, or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the "authority having jurisdiction." In many circumstances the property owner or his designated agent assumes the role of the "authority having jurisdiction"; at government installations, the commanding officer or departmental official may be the "authority having jurisdiction."

Explosives Interchange Lot. The specific area of an explosives motor vehicle terminal in which motor vehicles loaded with explosives are parked.

Explosives Less-than-Truckload Lot. A designated area of an explosives motor vehicle terminal where less-than-truckload lots of explosives may be held for transfer from one vehicle to another for continuance in transportation.

Explosives Motor Vehicle Terminal. A designated area where motor vehicles transporting explosives may be parked, pending further movement in transportation. Such a terminal may consist of interchange lots, less-thantruckload lots, maintenance shops, driver rest facilities, or any combination of these facilities.

Labeled. Equipment or materials to which has been attached a label, symbol or other identifying mark of an organization acceptable to the "authority having jurisdiction" and concerned with product evaluation, that maintains periodic inspection of production of labeled equipment or materials and by whose labeling the manufacturer

indicates compliance with appropriate standards or performance in a specified manner.

Listed. Equipment or materials included in a list published by an organization acceptable to the "authority having jurisdiction" and concerned with product evaluation, that maintains periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or material meets appropriate standards or has been tested and found suitable for use in a specified manner.

NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

Motor Vehicle. Any self-propelled vehicle, truck, tractor, semi-trailer, or truck-trailer combination used for the transportation of freight over public highways.

Shall. Indicates a mandatory requirement.

Should. Indicates a recommendation or that which is advised but not required.

Chapter 2 Explosives Interchange Lots

2-1 General.

- **2-1.1** All explosives interchange lots shall be located in a relatively isolated area.
- **2-1.2*** The interchange lots shall be separated by at least 100 ft (30.5 m) from other facilities within the explosives motor vehicle terminal, such as buildings, other structures, parking lots, and fuel and power facilities.
- **2-1.3** Weeds, underbrush, vegetation, or other combustible materials shall be cleared for a distance of 25 ft (7.6 m) from the lot.
- **2-1.4** The lot shall be protected from unauthorized persons or trespassers by use of warning signs, gates, fences, and intermittent patrols.
- 2-1.5 The watch personnel making intermittent patrols shall be familiar with the information in NFPA 601, Standard on Guard Service in Fire Loss Prevention.
- **2-1.5.1** The watch personnel making intermittent patrols shall have been made aware of the class of explosive material in each vehicle and of its inherent dangers and shall have been instructed in the measures and procedures to be followed in order to protect the public from these dangers.
- **2-1.5.2** A motor vehicle in good operating condition and capable of moving the trailers loaded with explosives shall be kept at the terminal at all times. The watch or patrol personnel shall be familiar with the motor vehicle, shall be trained, and shall be supplied with the necessary means

- and authority to use the motor vehicle to move any vehicles loaded with explosives when required. The motor vehicle shall not be parked within 25 ft (7.6 m) of any vehicle containing explosives.
- **2-1.6** Fire protection equipment capable of handling incipient fires shall be provided at each interchange lot. Portable fire extinguishers having a minimum rating of 4-A:30-B:C shall be placed at a readily accessible location. Water lines with hose connected may be installed in addition to the portable extinguishers.
- **2-1.7*** More than one lot within the terminal shall be provided when a large number of vehicles are to be parked.
- 2-1.8* If the terrain between any two lots does not provide natural barricades and there is limited space in which to provide substantial separation between the lots, artificial barricades shall be erected. Barricades shall be of such height that a straight line from the top of any vehicle containing explosives in one lot to the top of any vehicle containing explosives in another lot will pass through such intervening natural or artificial barricade.

2-2 Vehicle Parking.

- **2-2.1** Before any vehicle is admitted to an explosives interchange lot, a thorough inspection shall be made of the entire unit. As a minimum, inspection shall comply with the U.S. Department of Transportation equipment interchange rules that include, but are not limited to, a check for hot tires, hot wheel bearings, hot brakes, fuel leakage, oil leakage, accumulations of oil or grease, the electrical system, and any apparent physical damage to the vehicle that could cause or contribute to a fire. Any defects shall be corrected before the vehicle is placed on the lot.
- **2-2.2** After a loaded motor vehicle is properly positioned on the explosives interchange lot, the tractor shall be disconnected immediately and removed from the lot.
- **2-2.3** Where possible, motor vehicles loaded with commercial explosives shall be parked on lots separate from those containing military explosives.
- **2-2.4** Spacing of not less than 5 ft (1.5 m) shall be maintained between parked vehicles, side by side, or back to back. Parking shall be maintained so as not to require the moving of one vehicle in order to move another vehicle.
- **2-2.5** A self-propelled vehicle loaded with explosives may be parked on an explosives interchange lot if it is parked at least 25 ft (7.6 m) from any other vehicles containing explosives and is in a position where it can be removed easily in case of an emergency.
- **2-2.6*** No vehicles transporting other hazardous materials shall be parked on an explosives interchange lot unless the materials being transported are compatible with explosives.
- **2-2.7** No explosives shall be transferred from one vehicle to another on an explosives interchange lot except in a case of necessity or emergency.

2-2.8 The vehicles on the lot shall be maintained in the same condition as is required for highway transportation, including placarding.

2-3 Control of Ignition Sources.

- **2-3.1** Except for minor repairs, no repair work shall be performed on any vehicle parked on the lot. Any repair work involving cutting, welding, operation of the vehicle engine, or electrical repairs shall be performed after the cargo has been removed and the vehicle to be repaired has been removed from the lot.
- **2-3.2** Smoking, matches, open flames, spark-producing devices, and firearms shall be prohibited inside or within 50 ft (15.3 m) of the lot.
- **2-4 Security against Trespassers.** When any vehicle transporting explosives is parked on a lot, at least one employee shall be assigned to patrol the lot at frequent and irregular intervals.

Exception: Patrolling is not required if the lot is enclosed by a security fence, the gates are locked, and the area surrounding the lot is posted with warning signs.

2-5 Employee Training. The operator of the terminal shall maintain an active safety training program in emergency procedures for all employees stationed at the terminal. Written emergency instructions shall be posted and readily accessible to all employees.

Chapter 3 Less-than-Truckload Explosives Lots

3-1 General.

- **3-1.1** A temporary storage facility conforming to the construction requirements for Type 1 magazines, as described in NFPA 495, *Explosive Materials Code*, may be provided in the terminal area. If blasting caps or other initiators are to be temporarily stored at the same time as other explosives, then two temporary storage facilities shall be required, one for blasting caps or other initiators and the second for the other explosives.
- **3-1.2** The magazine facilities shall be located a minimum of 50 ft (15.3 m) from structures on the adjoining property or from any facility that could create a fire hazard.
- **3-1.3** An area at the loading dock may be designated for the temporary storage of explosives in a trailer, provided it is not in proximity to a fire hazard such as an area where smoking is permitted or where combustible or flammable materials are present.

3-2 Operations.

- **3-2.1** Explosives brought into the terminal to await shipment shall be immediately placed in the temporary storage facility until such time as the explosives are loaded on the over-the-road motor vehicle.
- **3-2.2** Explosives delivered to the terminal by a connecting carrier may be retained in the trailer at a designated section of the loading dock, or the trailer may be parked in

- an isolated area of the terminal, or the explosives may be placed in the temporary storage facility.
- **3-2.3** The vehicles on the lot shall be maintained in the same condition as is required for highway transportation, including placarding.
- **3-2.4** Explosives shall not be retained on the lot, either in a trailer or temporary storage facility, for a period longer than necessary, but in no case for more than 72 hours, unless the explosives are stored in a temporary storage facility located away from inhabited buildings, passenger railways, and public highways and from other temporary storage facilities so as to comply with the American Table of Distances for Storage of Explosives. [See Table 6-4(b) of NFPA 495, Explosive Materials Code.]
- **3-2.5** Smoking, matches, open flames, spark-producing devices, and firearms shall be prohibited inside of and within 50 ft (15.3 m) of the temporary storage facility or trailer containing explosives.
- **3-2.6** Temporary storage facilities shall be appropriately marked so that the terminal employees are aware of the location of the magazines.
- **3-2.7** Portable fire extinguishers, having a capacity of 4-A:30-B:C, shall be placed at each temporary storage facility and shall be readily available for immediate use.
- **3-2.8** No explosives shall remain on the lot either in trailers or temporary storage facilities unless authorized terminal personnel are in the vicinity or unless the temporary storage facilities are located away from inhabited buildings, passenger railways, and public highways and from other temporary storage facilities so as to comply with the American Table of Distances for Storage of Explosives. [See Table 6-4(b) of NFPA 495, Explosive Materials Code.]
- **3-2.9** The operator of the explosives motor vehicle terminal shall maintain an active safety training program in emergency procedures for all employees stationed at the terminal. Written emergency instructions shall be posted and readily accessible to all employees.

Chapter 4 Referenced Publications

- **4-1** The following documents or portions thereof are referenced within this standard and shall be considered part of the requirements of this document. The edition indicated for each reference is the current edition as of the date of the NFPA issuance of this document.
- **4-1.1 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, P. O. Box 9101, Quincy, MA 02269-9101.

NFPA 495, Explosive Materials Code, 1992 edition

NFPA 513, Standard for Motor Freight Terminals, 1990 edition

NFPA 601, Standard on Guard Service in Fire Loss Prevention, 1992 edition

Appendix A

This Appendix is not a part of the requirements of this NFPA document, but is included for information purposes only.

- **A-2-1.2** When floodlight illumination is provided, overhead power lines should not be erected within the perimeter of the lot.
- **A-2-1.7** The lots should be separated as far as practicable to reduce the concentration of explosives in any single area of the terminal.
- **A-2-1.8** "Natural barricade" means natural features of the ground, such as hills, or timber of sufficient density that one lot cannot be seen from the other when the trees are bare of leaves. "Artificial barricade" means an artificial mound or revetted wall of earth of a minimum thickness of 3 ft (1.0 m).
- **A-2-2.6** In case of an emergency, where vehicles loaded with other hazardous materials are brought to an explosives interchange lot, such vehicles should be parked at a location on the lot well separated from the explosives-laden vehicles.

Index

© 1992 National Fire Protection Association, All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document which it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of the National Fire Protection Association, Inc.

-В-	-М-
Barricades 2-1.8, A-2-1.8 Blasting caps 3-1.1	Magazines 3-1.1, 3-1.2 Motor freight terminals 1-1.2, 1-1.3 Motor vehicles
-E-	Definition 1-3 Inspection 2-2.1 Instantial control of the
Emergency procedures 2-5, 3-2.9, A-2-2.6 Employee training 2-5, 3-2.9 Explosives 3-2.1, 3-2.8	Loaded with commercial explosives 2-2.3 Loaded with military explosives 2-2.3 Parking 2-2, A-2-2.6 Repair work 2-3.1
Commercial and military 2-2.3 Delivered by connecting carrier 3-2.2 Time to be retained on lot 3-2.4 Transfer from one vehicle to another 2-2.7	-Р-
Explosives interchange lots Chap. 2 Definition 1-3	Parking, vehicle 2-2, A-2-2.6 Purpose of standard 1-2
General requirements 2-1, A-2-1 Location 2-1.1, 2-1.2, A-2-1.2 Number of lots 2-1.7, A-2-1.7 Security 2-1.4, 2-1.5, 2-4	-R-
Explosives less-than-truckload lot Chap. 3 Definition 1-3 Operations 3-2	Repair of vehicles
Operator 3-2.9 Explosives motor vehicle terminal 1-3	Scope of standard1-1
Extinguishers, portable fire	Security 2-1.4, 2-1.5, 2-4 Storage facility, temporary 3-1.1, 3-2.4
-F- Fire protection equipment	-Т-
-Н-	Terminals see specific type such as Motor freight terminals Training, employee 2-5, 3-2.9
Hazardous materials, nonexplosives	-V-
-I- Ignition sources, control of	Vehiclessee Motor vehiclesSelf-propelled2-2.5
-L-	-W-
Lots see specific type such as Explosives interchange lots	Watch personnel

SUBMITTING PROPOSALS ON NFPA TECHNICAL COMMITTEE DOCUMENTS

Contact NFPA Standards Administration for final date for receipt of proposals on a specific document.

Note: All proposals must be received by 5:00 p.m. E.S.T./E.D.S.T. on the published proposal closing date.

INSTRUCTIONS

Use a separate proposal form for submitting each proposed amendment.

- 1. Type or print legibly in black ink.
- 2. Indicate the number, edition year, and title of the document. Also indicate the specific section or paragraph that the proposed amendment applies to.
- 3. Check the appropriate box to indicate whether this proposal recommends adding new text, revising existing text, or deleting text.
- 4. In the space identified as "Proposal" indicate the exact wording you propose as new or revised text, or the text you propose be deleted.
- 5. In the space titled "Statement of Problem and Substantiation for Proposal" state the problem which will be resolved by your recommendation and give the specific reason for your proposal. Include copies of test results, research papers, fire experience, or other materials that substantiate your recommendation.
- 6. Check the appropriate box to indicate whether or not this proposal is original material, and if it is not, indicate the source of the material.
- 7. Sign the proposal.

If supplementary material (photographs, diagrams, reports, etc.) is included, you may be required to submit sufficient copies for all members and alternates of the technical committee. The technical committee is authorized to abstract the "Statement of Problem and Substantiation for Proposal" if it exceeds 200 words for publication in the Technical Committee Reports.

NOTE: The NFPA Regulations Governing Committee Projects in Paragraph 10-10 state: Each proposal shall be submitted to the Council Secretary and shall include:

- (a) identification of the submitter and his affiliation (Committee, organization, company) where appropriate, and
- (b) identification of the document, paragraph of the document to which the proposal is directed, and
- (c) a statement of the problem and substantiation for the proposal, and
- (d) proposed text of proposal, including the wording to be added, revised (and how revised), or deleted.

FORM FOR PROPOSALS ON NFPA TECHNICAL COMMITTEE DOCUMENTS

Mail to: Secretary, Standards Council

Date 5/18/85 Name John B. Smith	Tel. No. 617-555-1212
	Tel. No. 017-333-1212
Address 9 Seattle St., Seattle, WA 02255	
Representing (Please indicate organization, company or self)	Fire Marshals Assn. of North America
. a) Document Title: Protective Signaling Systems	FPA No. & Year NFPA 72D
b) Section/Paragraph: 2-7.1 (Exception)	FOR OFFICE USE ONLY
	Log #:
:. Proposal recommends: (Check one) □ new text □ revised text	Date Rec'd:
⊠ deleted text.	Proposal #:
. Proposal (include proposed new or revised wording,	
or identification of wording to be deleted):	\wedge
Delete exception.	//
	\
Statement of Problem and Substantiation for Proposal:	
	ree of ground faults.
A properly installed and maintained system should be for The occurrence of one or more ground faults should be	required to cause a
A properly installed and maintained system should be for The occurrence of one or more ground faults should be "trouble" signal because it indicates a sondition that co	required to cause a uld contribute
The occurrence of one or more ground faults should be "trouble" signal because it indicates a condition that co to future malfunction of the system. Ground fault prot available on these systems for years and its cost is negligible.	required to cause a uld contribute ection has been widely ible. Requiring
A properly installed and maintained system should be for the occurrence of one or more ground faults should be "trouble" signal because it indicates a sondition that co to future malfunction of the system. Ground fault prot	required to cause a uld contribute ection has been widely ible. Requiring
A properly installed and maintained system should be for The occurrence of one or more ground faults should be "trouble" signal because it indicates a sondition that co to future malfunction of the system. Ground fault prot available on these systems for years and its cost is negligible.	required to cause a uld contribute ection has been widely ible. Requiring enance and reliability.

I hereby grant NFPA the non-exclusive, royalty-free rights, including non-exclusive, royalty-free rights in copyright, in this proposal and I understand that I acquire no rights in any publication of NFPA in which this proposal in this or another similar or analogous form is used.

Signature (Required)

Out Her

FORM FOR PROPOSALS ON NFPA TECHNICAL COMMITTEE DOCUMENTS

Mail to: Secretary, Standards Council National Fire Protection Association, 1 Batterymarch Park, Quincy, Massachusetts 02269-9101 Fax No.: 617-770-3500 Note: All proposals must be received by 5:00 p.m. E.S.T./E.D.S.T. on the published proposal closing date. Date ______Tel. No. _____ Address Representing (Please indicate organization, company or self) 1. a) Document Title: ___ ____ _NFPA No. & Year_ FOR OFFICE USE ONLY b) Section/Paragraph: Log #: _____ 2. Proposal recommends: (Check one) ☐ new text Date Rec'd: _____ revised text ☐ deleted text. Proposal #: _____ 3. Proposal (include proposed new or revised wording, or identification of wording to be deleted): 4. Statement of Problem and Substantiation for Proposal: 5.

This Proposal is original material. ☐ This Proposal is not original material; its source (if known) is as follows: _____ (Note: Original material is considered to be the submitter's own idea based on or as a result of his own experience, thought, or research and, to the best of his knowledge, is not copied I hereby grant NFPA the non-exclusive, royalty-free rights, including non-exclusive, royalty-free rights in copyright, in this proposal and I understand that I acquire no rights in any publication of NFPA in which this proposal in this or another similar or analogous form is used. Signature (Required)