

<p>SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."</p> <p>SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.</p> <p>AS125251™ THRU AS125400™</p> <p>REV. C</p>	<p>FEDERAL SUPPLY CLASS 5320</p>																																																																								
<p>RATIONALE</p> <p>REDRAWN TO ASME Y14.5-2018, USAGE NOTE ADDED.</p>																																																																									
<p>MATERIAL IDENTIFICATION MARKING DEPRESSED .020 MAX</p>																																																																									
<p>FIGURE 1 - RIVET</p>																																																																									
<p>TABLE 1 - DIMENSIONS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">NOMINAL DIAMETER REF</th> <th style="text-align: left;">Ø DIAMETER</th> <th style="text-align: left;">Ø A</th> <th style="text-align: left;">B</th> <th style="text-align: left;">C REF</th> <th style="text-align: left;">D</th> <th style="text-align: left;">E RAD</th> <th style="text-align: left;">X</th> </tr> </thead> <tbody> <tr> <td>.062</td><td>.061-.065</td><td>.099-.107</td><td>.019-.023</td><td>.094</td><td>.016</td><td>.019</td><td>.010</td></tr> <tr> <td>.094</td><td>.093-.097</td><td>.164-.172</td><td>.033-.037</td><td>.141</td><td>.023</td><td>.029</td><td>.010</td></tr> <tr> <td>.125</td><td>.124-.128</td><td>.210-.218</td><td>.039-.043</td><td>.188</td><td>.031</td><td>.039</td><td>.010</td></tr> <tr> <td>.156</td><td>.155-.159</td><td>.272-.280</td><td>.052-.056</td><td>.234</td><td>.039</td><td>.049</td><td>.015</td></tr> <tr> <td>.188</td><td>.187-.191</td><td>.337-.347</td><td>.067-.071</td><td>.281</td><td>.047</td><td>.059</td><td>.015</td></tr> <tr> <td>.250</td><td>.249-.253</td><td>.460-.470</td><td>.092-.096</td><td>.375</td><td>.062</td><td>.078</td><td>.020</td></tr> <tr> <td>.312</td><td>.311-.315</td><td>.548-.558</td><td>.103-.107</td><td>.469</td><td>.078</td><td>.098</td><td>.020</td></tr> <tr> <td>.375</td><td>.374-.378</td><td>.678-.688</td><td>.131-.135</td><td>.562</td><td>.094</td><td>.117</td><td>.020</td></tr> </tbody> </table>		NOMINAL DIAMETER REF	Ø DIAMETER	Ø A	B	C REF	D	E RAD	X	.062	.061-.065	.099-.107	.019-.023	.094	.016	.019	.010	.094	.093-.097	.164-.172	.033-.037	.141	.023	.029	.010	.125	.124-.128	.210-.218	.039-.043	.188	.031	.039	.010	.156	.155-.159	.272-.280	.052-.056	.234	.039	.049	.015	.188	.187-.191	.337-.347	.067-.071	.281	.047	.059	.015	.250	.249-.253	.460-.470	.092-.096	.375	.062	.078	.020	.312	.311-.315	.548-.558	.103-.107	.469	.078	.098	.020	.375	.374-.378	.678-.688	.131-.135	.562	.094	.117	.020
NOMINAL DIAMETER REF	Ø DIAMETER	Ø A	B	C REF	D	E RAD	X																																																																		
.062	.061-.065	.099-.107	.019-.023	.094	.016	.019	.010																																																																		
.094	.093-.097	.164-.172	.033-.037	.141	.023	.029	.010																																																																		
.125	.124-.128	.210-.218	.039-.043	.188	.031	.039	.010																																																																		
.156	.155-.159	.272-.280	.052-.056	.234	.039	.049	.015																																																																		
.188	.187-.191	.337-.347	.067-.071	.281	.047	.059	.015																																																																		
.250	.249-.253	.460-.470	.092-.096	.375	.062	.078	.020																																																																		
.312	.311-.315	.548-.558	.103-.107	.469	.078	.098	.020																																																																		
.375	.374-.378	.678-.688	.131-.135	.562	.094	.117	.020																																																																		
<p>SAENORM.COM : Click to view the full PDF of as125251C</p>																																																																									
<p>For more information on this standard, visit https://www.sae.org/standards/content/AS125251C/</p>																																																																									
<p>THIRD ANGLE PROJECTION</p>																																																																									
<p>ISSUED 1954-03 REAFFIRMED 2017-05 REVISED 2022-08</p>																																																																									
<p>CUSTODIAN: E-25</p>	<p>PROCUREMENT SPECIFICATION: AS7222-1</p>																																																																								
<p>SAE INTERNATIONAL®</p>	<p>AEROSPACE STANDARD RIVET - 100 DEGREE COUNTERSUNK HEAD, ALUMINUM ALLOY (UNS A92117)</p>	<p>AS125251™ THRU AS125400™ SHEET 1 OF 2</p>	<p>REV. C</p>																																																																						