

NOTICE

THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION MS9492A, AMENDMENT 1, NOTICE 1 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE MS9492A, AMENDMENT 1, NOTICE 1. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.


UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS SAE TECHNICAL DOCUMENT.

SAENORM.COM : Click to view the full PDF of as9492

AS9492

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

THIRD ANGLE PROJECTION



ISSUED 1999-08

PREPARED BY SAE COMMITTEE E-25

PROCUREMENT SPECIFICATION: NONE




AEROSPACE STANDARD

BOLT, MACHINE - HEXAGON HEAD, FULL SHANK,
AMS 5731, .375-24 UNJF-3A

AS9492
SHEET 1 OF 3

AS9492



PART NO.	L	K	APPROX WEIGHT LB/100	PART NO.	L	K	APPROX WEIGHT LB/100
				MS9492-31	2.875	1.815-1.875	10.65
				MS9492-32	3.000	1.940-2.000	11.04
				MS9492-33	3.125	2.065-2.125	11.43
MS9492-04	.625	.088-.108	3.64	MS9492-34	3.250	2.190-2.250	11.82
MS9492-05	.688	.088-.108	3.84	MS9492-35	3.375	2.315-2.375	12.21
MS9492-06	.750	.088-.108	4.03	MS9492-36	3.500	2.440-2.500	12.60
MS9492-07	.812	.088-.108	4.22	MS9492-37	3.625	2.565-2.625	12.99
MS9492-08	.875	.088-.108	4.42	MS9492-38	3.750	2.690-2.750	13.38
MS9492-09	.938	.088-.108	4.62	MS9492-39	3.875	2.815-2.875	13.77
MS9492-10	1.000	.088-.108	4.81	MS9492-40	4.000	2.940-3.000	14.16
MS9492-11	1.062	.088-.108	5.00	MS9492-41	4.125	3.065-3.125	14.55
MS9492-12	1.125	.088-.125	5.20	MS9492-42	4.250	3.190-3.250	14.94
MS9492-13	1.188	.128-.188	5.39	MS9492-43	4.375	3.315-3.375	15.33
MS9492-14	1.250	.190-.250	5.58	MS9492-44	4.500	3.440-3.500	15.72
MS9492-15	1.312	.252-.312	5.78	MS9492-45	4.625	3.565-3.625	16.11
MS9492-16	1.375	.315-.375	5.98	MS9492-46	4.750	3.690-3.750	16.50
MS9492-17	1.438	.378-.438	6.17	MS9492-47	4.875	3.815-3.875	16.89
MS9492-18	1.500	.440-.500	6.37	MS9492-48	5.000	3.940-4.000	17.28
MS9492-19	1.562	.502-.562	6.56	MS9492-49	5.125	4.065-4.125	17.67
MS9492-20	1.625	.565-.625	6.76	MS9492-50	5.250	4.190-4.250	18.06
MS9492-21	1.688	.628-.688	6.95	MS9492-51	5.375	4.315-4.375	18.45
MS9492-22	1.750	.690-.750	7.15	MS9492-52	5.500	4.440-4.500	18.84
MS9492-23	1.875	.815-.875	7.54	MS9492-53	5.625	4.565-4.625	19.22
MS9492-24	2.000	.940-1.000	7.93	MS9492-54	5.750	4.690-4.750	19.61
MS9492-25	2.125	1.065-1.125	8.32	MS9492-55	5.875	4.815-4.875	20.00
MS9492-26	2.250	1.190-1.250	8.70	MS9492-56	6.000	4.940-5.000	20.39
MS9492-27	2.375	1.315-1.375	9.09	MS9492-57	1.812	.752-.812	7.35
MS9492-28	2.500	1.440-1.500	9.48	MS9492-58	1.938	.878-.938	7.74
MS9492-29	2.625	1.565-1.625	9.87				
MS9492-30	2.750	1.690-1.750	10.26				